


1/1

AD-A171 949



MICRUMORY RESOLUTION TEST 1 AND NATIONAL PROPERTY OF TANGENTO (1)

SECURIA CONTROL CONTROL CONTROL SECURIS ASSESSES SECURIS SECURIS.

# LASER PHYSICS AND LASER TECHNIQUES

Approved for public release; distribution unlimited.

Final Technical Report

to

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

under Contract No. F49620-84-C-0041

for the period

1 March 1984-28 February 1986

Principal Investigator

A. E. Siegman

Professor of Electrical Engineering

Edward L. Ginzton Laboratory
Stanford University
Stanford, California 94305



IC FILE COPY

May, 1986

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
"OTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
Choroved for public release IAW AFR 190-12.
Tistribution is unlimited.
TITHEW J. KERTER
Chief, Technical Information Division

# FINAL TECHNICAL REPORT AFOSR Contract F49620-84-C-0041

#### A. INTRODUCTION

The general objectives of this program have been to develop new technologies for exploiting the ultrafast measurement and data transmission capabilities of lasers, and especially ultrashort laser pulses, and to apply these new capabilities to significant current scientific problems in physics, chemistry, and ultrafast electronics. Accomplishments that have been made under this contract support in different areas of this program are outlined below.

#### B. SEMICONDUCTOR LIFETIME AND SURFACE DAMAGE MECHANISMS

During this contract we extended and completed the program of work done in our group by Dr. Philippe Fauchet, first as a student and then as an IBM postdoctoral fellow, on picosecond measurements of semiconductor lifetimes and laser surface damage (see references 1 to 3 below). Dr. Fauchet has now become an Assistant Professor of Electrical Engineering at Princeton.

During the course of this work we observed, more or less accidentally, and were led to study further the very interesting spontaneous surface ripples that can be generated on almost any surface by a single laser beam, even in a single picosecond laser shot. Because of their similarity in many basic respects to the well-known Wood's anomalies in diffraction gratings, we now refer to these spontaneously occurring ripples as "Stimulated Wood's Anomalies." Because they can be formed on almost any surface, using almost any laser beam, and because they can change drastically the absorption properties of the surface, an understanding of these spontaneous ripples is important both for surface physics measurements and for surface and target damage studies. We have summarized the properties of these ripples in an invited review paper which will be appearing very shortly (cf. reference 4 below).

- 1. P.M. Fauchet and A.E. Siegman, "Picosecond dynamics of hot dense electron-hole plasmas in crystalline and amorphized Si and GaAs," in Ultrafast Phenomena IV, ed. by D.H. Auston and K.B. Eisenthal, pp. 129-132 (June 11-15, 1984).
- 2. P.M. Fauchet and A.E. Siegman, "Laser-induced surface ripples: what is understood and what is not," in **Proceedings of MRS Symposium A** (November 1984).
- 3. P.M. Fauchet and A.E. Siegman, "Surface damage mechanisms in non-transparent media," in Proceedings of the 16th Symposium on Optical Materials for High Power Lasers (Boulder, Colorado, October 1984).

4. A.E. Siegman and P.M. Fauchet, "Stimulated Wood's anomalies on laser-illuminated surfaces (invited paper)," *IEEE J. Quantum Electron.* QE-22, to be published (August 1986).

## C. TIME-RESOLVED LUMINESCENCE IN QUANTUM WELL STRUCTURES

Quantum well structures have become extremely important for their applications to both ultrafast optical and electronic devices; and careful measurements of the basic properties of these structures are therefore of both scientific and technical importance. Under this contract Dr. Julie Fouquet carried out a series of ultrafast measurements of the lifetimes of the basic quantum-well transitions in both MBE and MOCVD-grown quantum well structures, using a mode-locked laser and time-resolved single photon counting, as reported in references 5 to 9 below, and in her Ph.D. dissertation (reference 10). Dr. Fouquet is now continuing essentially this same work at the Hewlett-Packard Research Laboratories in Palo Alto.

- 5. J.E. Fouquet and A.E. Siegman, "Room temperature photoluminescence times in a GaAs-Al<sub>x</sub>Ga<sub>1-x</sub>As multiple quantum well structures," in **Proceedings of the 17th International Conference on the Physics of Semiconductors** (Springer-Verlag, August 1984).
- 6. J.E. Fouquet and A.E. Siegman, "Room temperature photoluminescence times in a GaAs-Al<sub>x</sub>Ga<sub>1-x</sub>As molecular beam epitaxy multiple quantum well structure," Appl. Phys. Lett. 46, 280-282 (1 February 1985).
- J.E. Fouquet, A.E. Siegman, R.D. Burnham, and T.L. Paoli, "Carrier trapping in room temperature time-resolved photoluminescence of a GaAs-Al<sub>x</sub>Ga<sub>1-x</sub>As multiple quantum well structure grown by metalorganic chemical vapor deposition," Appl. Phys. Lett. 46, 374-376 (15 February 1985).
- 8. J.E. Fouquet, A.E. Siegman, R.D. Burnham, and T.L. Paoli, "Time-Resolved Photoluminescence of GaAs-Al<sub>z</sub> Ga<sub>1-z</sub> As Quantum Well Structures Grown by Metal-Organic Chemical Vapor Deposition," in Picosecond Electronics and Optoelectronics (ed. by G. A. Mourou, D. M. Bloom, and Chi-II. Lee) 143-147 (Springer-Verlag, March 1985).
- 9. J.E. Fouquet and R.D. Burnham, "Recombination dynamics in GaAs-Al<sub>x</sub>Ga<sub>1-x</sub>As quantum well structures," *IEEE J. Quantum Electron.* **QE-22**, accepted for publication (1986).
- 10. Julie E. Fouquet, "Recombination Dynamics in Quantum Well Semiconductor Structures," Ph.D. Disseratation, Department of Applied Physics, Stanford University (December 1985). (Also GL Report No. 3965, AFOSR Contract F49620-84- ∪-0041.)

#### D. TUNABLE TRANSIENT GRATING MEASURMENTS

One of our major objectives over the past several years has been the development of a novel tunable laser-induced grating spectroscopy system for making ultrafast physical measurements in the frequency domain, without the need for ultrashort optical pulses. During the period of this contract this system has been completed and put into operation, and measurements have been made on several chemical systems, notably on the femtosecond time response of the optical Kerr effect in the standard optical Kerr material CS<sub>2</sub>. These latter measurements have partially confirmed earlier measurements, and partially demonstrated new and unexpected phenomena which we are still interpreting. Some of the results obtained with this system are reported in references 11 through 13 below, as well as in a lengthy invited review paper in a Special Issue on Laser-Induced Gratings of the IEEE Journal of Quantum Electronics (reference 14).

- 11. Rick Trebino, C.E. Barker, and A.E. Siegman, "Frequency-domain nonlinear-optical measurement of femtosecond relaxation," in Laser Spectroscopy VII, ed. by T. Hänsch and Y. Shen, Springer-Verlag (1985).
- 12. Rick Trebino and A.E. Siegman, "Frequency bandwidths in nondegenerate N-wave-mixing interactions and induced-grating geometries," Opt. Commun., accepted for publication (1986).
- 13. Rick Trebino, Eric K. Gustafson, and A.E. Siegman, "Fourth-order partial-coherence effects in the formation of integrated-intensity gratings with pulsed light sources," JOSA B: Opt. Phys. 3, accepted for publication (1986).
- 14. Rick Trebino, Charles E. Barker, and A.E. Siegman, "Tunable-laser-induced gratings for the measurement of ultrafast phenomena (invited)," *IEEE J. Quantum Electron.* **QE-22**, to be published (1986).

#### E. DYE LASER AND OPTICAL RESONATOR DESIGN RESULTS

As side developments from our efforts on picosecond measurement techniques and measurements, we have derived and published two analyses having to do with the optimum design of prism beam expanders for pulsed dye lasers, and also two analyses having to do with aspects of laser resonator design, namely:

- 15. Rick Trebino, "Achromatic N-prism beam expander: Optimal configurations," Appl. Opt. 24, 1130-1138 (15 April 1985).
- 16. Rick Trebino, Charles E. Barker, and A.E. Siegman, "Achromatic N-prism beam expanders: Optimal configurations II," in SPIE Proceedings: Southwest Conference on Optics.
- 17. A.E. Siegman, "ABCD matrix elements for a curved diffraction grating," J. Opt. Soc. Am. A 2, 1793 (October 1985).
- 18. A.E. Siegman, "Design considerations for laser cavities using variable reflectivity mirrors," *IEEE J. Quantum Electron.* **QE-22**, accepted for publication (1986).

#### F. GENERAL REVIEWS


Finally, two invited review papers were prepared and presented, one a review of picosecond spectroscopy techniques for a NATO Conference on Chemical Applications of Picosecond Pulses, and one a general overview of lasers for an anniversary symposium held by the National Academy of Engineering:

- 19. A.E. Siegman, "Alternative techniques for picosecond spectroscopy," invited review for Applications of Picosecond Spectroscopy to Chemistry, ed. by K. B. Eisenthal, Reidel Publishing Co., NATO ISA Series, pp. 325-351 (1984).
- 20. A.E. Siegman, "The Laser—Still Young After Twenty Five Years?," invited review for Laser Applications: A Symposium, National Academy of Engineering, Washington, DC, November 1985 (to be published).

### G. ADVANCED DEGREES AND OTHER ACTIVITIES

During this period Dr. Julie Fouquet received the Ph.D. degree in Applied Physics, with a Ph.D. dissertation listed as reference 10 above.

The principal investigator Professor A.E. Siegman received a Senior Scientist Award from the Alexander von Humboldt Foundation and spent a portion of the period 1984-1985 in research at the Max Planck Institute for Quantum Electronics in Germany (at no direct cost to the contract). He was also selected as co-chairman of the next OSA Topical Meeting on Ultrafast Phenomena, which will be held in Colorado in June 1986.



# AD-A171949

	REPORT DOCUM	ENTATION PAG	Ε		· · · · · · · · · · · · · · ·
Ta HEPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT			
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		Unlimited			
4 PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)			
		AFOSR-TR- 86-0723			
Stanford University	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION  Air Force Office of Scientific Resear			
6c. ADDRESS (City, State and ZIP Code)		7b. ADDRESS (City, State and ZIP Code)			
Edward L. Ginzton Laboratory Stanford, California 94305		Directorate of Physical and Geophysical <ul> <li>Sciences</li> <li>Bolling AFB, DC 20332</li> </ul>			
8a. NAME OF FUNDING/SPONSORING 8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR	NB	Contract F49620-84-C-0041			
AFOSRAP BO. 410		10. SOURCE OF FUNDING NOS.			
HOSIGIAD DIC. 41		PROGRAM ELEMENT NO.	PROJECT NO.	NO.	WORK UNIT
11 TITLE Include Security Classification	32 644A	611027	2301	AI	
Laser Physics & Laser Techni	lques (unclassif	ed)			
12. PERSONAL AUTHOR(S) A. E. Siegman	_				
Final Tech. Report FROM 3/1	OVERED 70 2/28/86	14. DATE OF REPOR	RT ( <i>Yr.</i> , <i>Mo., Day</i> 19	) 15. PAGE (	COUNT
16 SUPPLEMENTARY NOTATION	10 2720700	1700 1149			
17 COSATI CODES	ontinue on reverse if ne	ue on reverse if necessary and identify by block number)			
FIELD GROUP SUB. GR.	lasers	femtosecond pulses			
	picosecond pu	ilses			
19 ABSTRACT (Continue on reverse if necessary and		T			
The objective of this prograultrafast data transmission new techniques to current so electronics. Under this supultrafast measurements with with novel detection mechanialso using a novel "tunablements without pulses, workin have made femtosecond resolusystems, including the important first picosecond pulse to sensitive and flexible bulk we are now working to extend to contain the first picosecond to contain the first picosecond bulk we are now working to extend to contain the first picosecond the sensitive and flexible bulk we are now working to extend the contains the first picosecond the sensitive and flexible bulk we are now working to extend the contains the first picosecond the first pico	and measurement ientific problement we have declasers, both us sms to make ult laser-induced g in the frequention frequency tant optical Keime-domain measure and surface detaction approach	capabilities ms in physics veloped severa ing ultrashort rafast measure rating method ncy domain. I domain lifetin rr material Gurements using	of lasers, chemistry, all new techt light pulter the light pulter the last of	and to apple and ultra aniques, for ses in comb he time dome atter appropents, on the ealso demonstic detect and solution as a	making cination ain, and cach, we emical constrated cion as a lids.
224 NAME OF RESPONSIBLE INDIVIDUAL		22b TELEPHONE NUMBER 22c OFFICE SYMBOL			
A. E. Siegman	(Include Area Co (415)723-0222	de) <u>2</u>	Professor		

SECURITY CLASSIFICATION OF THIS PAGE

flexible, noncontacting method for making picosecond and femtosecond measurements on a very wide variety of surfaces. We have also made a number of lifetime and damage studies on semiconductor surfaces, and explored the formation of spontaneous surface ripples or "stimulated Wood's anomalies" using picosecond laser pulses.

In addition, we have invented an entirely new ultrafast photodetector concept, based on ultrafast diffusion-driven charge transport, and are actively pursuing its experimental demonstration at the minute.

The said for the 2